

Department of Public Works Water Supply Division

Hyannis Water Board

47 Old Yarmouth Rd.
P.O. Box 326
Hyannis, MA.
02601-0326
TEL: 508-775-0063
FAX: 508-790-1313

Agenda December 14, 2010 from 3:15 to 5:15 PM Growth Management Conference Room – Town Hall 367 Main Street, 3nd Floor, Hyannis

- 1. Approval of the agenda
- 2. Approval of the minutes previous meeting (11/19/2010)
- 3. Operations Report Please read and we will address questions only
 - a. Collections
- 4. County Perchlorate Update (Skip, Hans)
- 5. CDAG Grant for pipe upgrade on Stevens St
- 6. Capital Add Air Stripper Upgrades to our capital plan for FY13
- 7. Update on Water Tank Project
- 8. Abatement Request
 - a. Joseph Conway 6 Main St High Water Usage
 - b. Andi Carole 253 Sea St Dirty Water
 - c. Anthony & Heather Capelle 186 Tobey Way Dirty Water
 - d. HJM Realty Trust 148A Cedar St High Water Usage
- 9. Water Quality Study RFP Update
- 10. Proposed Timetable for Next Year
- 11. New business

Next Meeting – January 11, 2011

Timetable for Calendar 2011

January

- Report on review of hardship cases
- Abatement Request Dawn Busias, 33 Paine Ave (pending receipt of abatement request form in time for analysis)

February

- Draft of Water Quality Study RFP
- Review deliverables for all capital projects approved to date and rational for Capital Requests for FY 2012 – talking points for Council

March

• Final review of the Water Quality Study RFP (target to be released by the end of March)

April

• Capital Requests for FY 2012 to Council



Department of Public Works Water Supply Division

Hyannis Water Board

47 Old Yarmouth Rd. P.O. Box 326 Hyannis, MA. 02601-0326 TEL: 508-775-0063 FAX: 508-790-1313

May

Begin review of Water Quality Study responses

June

Decision on Water Quality Study vendor

July

• Load FY 2011 Usage Data into financial model

August

• First run of operating budget, capital and rates using our model (Model consultants present)

September

October

• Finalize budget, capital and rates for FY 2013

November

December

• Rate hearing